

MPEXCLUSIVE 12

SUBWOOFER



MPEXCLUSIVE 12

SUBWOOFER



MPEXCLUSIVE 12

FEATURES

- Subwoofer for sealed and bass reflex cabinets
- Steel basket with anti-resonance powder coating
- 2" high-performance voice coil
- High-power magnet with Mac Audio protection cap
- Injection polypropylene cone with additional edge reinforcement
- Long excursion rubber surround
- Chrome-plated push terminal
- Decorative ring covering the fixing screws



SUBWOOFER

MPEXCLUSIVE 12

DIN-Ø	12"
Power Handling RMS/max.	300/1000 Watts
Impedance	4 Ohms
Frequency Response	21 – 500 Hz
Sound Pressure Level	90 dB
Outer Diameter	316 mm
Cutting Out	280 mm
Installation Depth	130 mm
Fs	29 Hz
Qes	1.04
Qms	4.37
Qts	0.84
VAS	69 Litres
X-max	16 mm
RDC	3.8 Ohms
Basket Material	Steel
Cabinet suggestion	Sealed cabinet: 38 l Bass-reflex cabinet: 55 l / 1 reflex port, Ø 10 cm, L: 25 cm Liter information incl. speaker and bass reflex port(s)

SUBWOOFER